

**Trade name:** WIDOCRYL-Mortar (liquid)

**Current version :** 2.0.0, issued: 13.09.2024

**Replaced version:** 1.3.0, issued: 11.06.2021

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**WIDOCRYL-Mortar (liquid)**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Binding agent

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0

Fax no. +49 (0) 4144 69821-20

**Information provided by / telephone**

+49 (0) 4144 69821-0

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**Details of the importer**

**Address**

Widopan Limited

System House

Horndon Industrial Park

24 Station Rd

West Horndon

Brentwood

CM13 3XL

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Irrit. 2; H319

Flam. Liq. 2; H225

Skin Irrit. 2; H315

Skin Sens. 1; H317

STOT SE 3; H335

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

Trade name: WIDOCRYL-Mortar (liquid)

Current version : 2.0.0, issued: 13.09.2024

Replaced version: 1.3.0, issued: 11.06.2021

Region: GB

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

methyl-methacrylate

**Hazard statement(s)**

H225 Highly flammable liquid and vapour.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.

**Precautionary statement(s)**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P243 Take action to prevent static discharges.  
 P261 Avoid breathing mist/vapours.  
 P271 Use only outdoors or in a well-ventilated area.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P370+P378 In case of fire: Use water spray, carbon dioxide, dry chemical or foam to extinguish.  
 P501 Dispose of contents/container to a facility in accordance with local and national regulations.

**2.3 Other hazards**

No data available.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Chemical characterization**

Mixture (preparation)

**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>methyl-methacrylate</b>			
	80-62-6 201-297-1 607-035-00-6 01-2119452498-28	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	< 100.00	wt%
2	<b>poly(oxi-1,2-ethanediyl),a,a'-[[4-methylphenyl]imino]di-2,1-ethanediyl]bis[.omeg</b>			
	103671-44-9 - -	Acute Tox. 4; H302 Eye Dam. 1; H318	< 5.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

**Trade name:** WIDOCRYL-Mortar (liquid)**Current version :** 2.0.0, issued: 13.09.2024**Replaced version:** 1.3.0, issued: 11.06.2021**Region:** GB

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. In case of persisting adverse effects consult a physician.

#### After skin contact

Wash off with soap and water. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

#### After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

When exposed to high temperatures may produce hazardous decomposition products. In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); Irritant gases/vapours; May explode if exposed to heat.

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

Trade name: WIDOCRYL-Mortar (liquid)

Current version : 2.0.0, issued: 13.09.2024

Replaced version: 1.3.0, issued: 11.06.2021

Region: GB

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

**6.3 Methods and material for containment and cleaning up**

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

**6.4 Reference to other sections**

No data available.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Open and handle container with care.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

**Advice on protection against fire and explosion**

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools. Before opening the container to provide extinguisher.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

**Recommended storage temperature**

Value 5 - 25 °C

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

**Incompatible products**

Do not store together with fire promoting substances. Do not store together with foodstuffs.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	2009/161/EU		
	methyl methacrylate		
	WEL short-term (15 min reference period)		100 ppm
	WEL long-term (8-hr TWA reference period)		50 ppm
	<b>List of approved workplace exposure limits (WELs) / EH40</b>		
	Methyl methacrylate		

Trade name: WIDOCRYL-Mortar (liquid)

Current version : 2.0.0, issued: 13.09.2024

Replaced version: 1.3.0, issued: 11.06.2021

Region: GB

WEL short-term (15 min reference period)	416	mg/m <sup>3</sup>	100	ppm
WEL long-term (8-hr TWA reference period)	208	mg/m <sup>3</sup>	50	ppm

**DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6 201-297-1	
	dermal	Short term (acute)	local	1.5	mg/cm <sup>2</sup>
	dermal	Long term (chronic)	systemic	13.67	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	348.4	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	208	mg/m <sup>3</sup>
	inhalative	Short term (acute)	local	416	mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6 201-297-1	
	oral	Long term (chronic)	systemic	8.2	mg/kg bw/day
	dermal	Short term (acute)	local	1.5	mg/cm <sup>2</sup>
	dermal	Long term (chronic)	systemic	8.2	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	74.3	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	104	mg/m <sup>3</sup>
	inhalative	Short term (acute)	local	208	mg/m <sup>3</sup>

**PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	methyl-methacrylate		80-62-6 201-297-1	
	water	fresh water	0.94	mg/L
	water	marine water	0.094	mg/L
	water	Aqua intermittent	0.94	mg/L
	water	fresh water sediment	10.2	mg/kg
	water	marine water sediment	0.102	mg/kg dry weight
	soil	-	1.48	mg/kg dry weight
	sewage treatment plant	-	10	mg/L

**8.2 Exposure controls****Appropriate engineering controls**

No data available.

**Personal protective equipment****Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Eye / face protection**

Tightly fitting safety glasses (EN 166).

**Hand protection**

**Trade name:** WIDOCRYL-Mortar (liquid)**Current version :** 2.0.0, issued: 13.09.2024**Replaced version:** 1.3.0, issued: 11.06.2021**Region:** GB

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber  
 Breakthrough time > 60 min

**Other**

fire-resistant protective clothing

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>State of aggregation</b>	
liquid	
<b>Form</b>	
liquid	
<b>Colour</b>	
colourless	
<b>Odour</b>	
of acrylate	
<b>Odour threshold</b>	
Value	0.05 ppm
<b>pH value</b>	
reason for missing pH	substance/mixture is non-soluble (in water)
<b>Boiling point / boiling range</b>	
Value	100.3 °C
Method	DIN 51751
Reference substance	Methyl methacrylate
<b>Melting point/freezing point</b>	
Value	-48 °C
Reference substance	Methyl methacrylate
<b>Decomposition temperature</b>	
No data available	
<b>Flash point</b>	
Value	11.5 °C
Method	DIN 51755
Reference substance	Methyl methacrylate
<b>Ignition temperature</b>	
No data available	
<b>Flammability</b>	
No data available	
<b>Lower explosion limit</b>	
Value	2.1 % vol
Reference substance	Methyl methacrylate
<b>Upper explosion limit</b>	

Trade name: WIDOCRYL-Mortar (liquid)

Current version : 2.0.0, issued: 13.09.2024

Replaced version: 1.3.0, issued: 11.06.2021

Region: GB

Value	12.5	% vol
Reference substance	Methyl methacrylate	

<b>Vapour pressure</b>		
Value	38.7	mbar
Reference substance	Methyl methacrylate	

<b>Relative vapour density</b>		
No data available		

<b>Relative density</b>		
No data available		

<b>Density</b>		
Value	0.94	g/cm <sup>3</sup>
Reference temperature	25	°C

<b>Solubility in water</b>	
Comments	insoluble

<b>Solubility</b>	
No data available	

<b>Partition coefficient n-octanol/water (log value)</b>			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
log Pow		1.38	
Reference temperature		20	°C
Source		ECHA	

<b>Kinematic viscosity</b>			
Value	<	1	mPa*s
Reference temperature		25	°C
Type	kinematic		

<b>Particle characteristics</b>	
No data available	

## 9.2 Other information

<b>Other information</b>	
No data available.	

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable if stored and handled properly.

### 10.3 Possibility of hazardous reactions

Polymerization upon exposure to white light, ultraviolet light or heat. Polymerization is highly exothermic and may produce sufficient heat to cause thermal decomposition and/or rupture of the container.

### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from sun.

### 10.5 Incompatible materials

Peroxides; Amines; Azo compounds; Heavy metals; Oxidizing agents; Reducing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

Trade name: WIDOCRYL-Mortar (liquid)

Current version : 2.0.0, issued: 13.09.2024

Replaced version: 1.3.0, issued: 11.06.2021

Region: GB

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity (result of the ATE calculation for the mixture)	
Product Name	
WIDOCRYL-Mortar (liquid)	
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity
No data available

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LC50		29.8	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		

Skin corrosion/irritation
No data available

Serious eye damage/irritation
No data available

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity
No data available

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		



Trade name: WIDOCRYL-Mortar (liquid)

Current version : 2.0.0, issued: 13.09.2024

Replaced version: 1.3.0, issued: 11.06.2021

Region: GB

<b>STOT - single exposure</b>
No data available

<b>STOT - repeated exposure</b>
No data available

<b>Aspiration hazard</b>
No data available

<b>Endocrine disrupting properties</b>
No data available

**11.2 Information on other hazards****Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity**

<b>Toxicity to fish (acute)</b>			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LC50	>	79	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

<b>Toxicity to fish (chronic)</b>
No data available

<b>Toxicity to Daphnia (acute)</b>			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
EC50		69	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

<b>Toxicity to Daphnia (chronic)</b>			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
NOEC		37	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

<b>Toxicity to algae (acute)</b>			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
EC50	>	110	mg/l
Duration of exposure		72	h
Species	Selenastrum capricornutum		
Method	OECD 201		
Source	ECHA		

<b>Toxicity to algae (chronic)</b>
No data available

Trade name: WIDOCRYL-Mortar (liquid)

Current version : 2.0.0, issued: 13.09.2024

Replaced version: 1.3.0, issued: 11.06.2021

Region: GB

**Bacteria toxicity**

No data available

**12.2 Persistence and degradability****Biodegradability**

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	Value	94	%
	Duration	14	day(s)
	Method	OECD 301 C	
	Source	ECHA	
	Evaluation	readily biodegradable	

**12.3 Bioaccumulative potential****Partition coefficient n-octanol/water (log value)**

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	log Pow	1.38	
	Reference temperature	20	°C
	Source	ECHA	

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

No data available.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information****Other information**

Do not let enter the product into drains or waterways and do not store on public depositories.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 UN number or ID number**

ADR/RID/ADN	UN1247
IMDG	UN1247
ICAO-TI / IATA	UN1247

**14.2 UN proper shipping name**

ADR/RID/ADN	METHYL METHACRYLATE MONOMER, STABILIZED
IMDG	METHYL METHACRYLATE MONOMER, STABILIZED
ICAO-TI / IATA	Methyl methacrylate monomer, stabilized

Trade name: WIDOCRYL-Mortar (liquid)

Current version : 2.0.0, issued: 13.09.2024

Replaced version: 1.3.0, issued: 11.06.2021

Region: GB

**14.3 Transport hazard class(es)**

**ADR/RID/ADN - Class** 3  
 Label 3  
 Classification code F1  
 Tunnel restriction code D/E  
 Hazard identification no. 339

**IMDG - Class** 3  
 Label 3

**ICAO-TI / IATA - Class** 3  
 Label 3

**14.4 Packing group**

**ADR/RID/ADN** II  
**IMDG** II  
**ICAO-TI / IATA** II

**14.5 Environmental hazards**

EmS F-E, S-D

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	methyl-methacrylate	80-62-6	201-297-1	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is subject to Part I of Annex I, risk category: P5b

**15.2 Chemical safety assessment**

No data available.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.  
 Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

---

**Trade name:** WIDOCRYL-Mortar (liquid)

**Current version :** 2.0.0, issued: 13.09.2024

**Replaced version:** 1.3.0, issued: 11.06.2021

**Region:** GB

---

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H302	Harmful if swallowed.
H318	Causes serious eye damage.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

D	Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.
---	--

**Creation of the safety data sheet**

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.  
Prod-ID 659281