

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WIDOCRYL-Filler (Screet)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Sealants

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH
Ostereichen 3
D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0

Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb_info@umco.de

Details of the importer

Address

Widopan Limited
System House
Horndon Industrial Park
24 Station Rd
West Horndon
Brentwood
CM13 3XL

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411

Flam. Liq. 2; H225

Skin Irrit. 2; H315

Skin Sens. 1; H317

STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**Hazard pictograms**

GHS02



GHS07



GHS09

Signal word

Danger

Hazardous component(s) to be indicated on label:

methyl-methacrylate

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

dodecane-1-thiol

Hazard statement(s)

H225

Highly flammable liquid and vapour.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H335

May cause respiratory irritation.

H411

Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208

Contains Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-ethanol, 2,2'-ethylenedioxydiethyl dimethacrylate. May produce an allergic reaction.

Precautionary statement(s)

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243

Take action to prevent static discharges.

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

1	methyl-methacrylate			
	80-62-6 201-297-1 607-035-00-6 01-2119452498-28	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	>= 25.00 - < 50.00	wt%
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate			
	1065336-91-5 915-687-0 - 01-2119491304-40	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1A; H317 Repr. 2; H361f	< 2.50	wt%
3	Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-ethanol			
	- 911-490-9 - 01-2119979579-10	Acute Tox. 4; H302 Aquatic Chronic 3; H412 Eye Dam. 1; H318 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 2.50	wt%
4	dodecane-1-thiol			
	112-55-0 203-984-1 - 01-2119491318-31	Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2.50	wt%
5	2,2'-ethylenedioxydiethyl dimethacrylate			
	109-16-0 203-652-6 - 01-2119969287-21	Skin Sens. 1B; H317	< 2.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-	-	-
4	-	-	M = 10	M = 10
5	D	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person.

Trade name: WIDOCRYL-Filler (Screet)**Current version :** 4.0.0, issued: 28.06.2024**Replaced version:** 3.0.0, issued: 15.12.2023**Region:** GB**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixtureIn the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)**5.3 Advice for firefighters**

Wear protective clothing. Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Trade name: WIDOCRYL-Filler (Screet)**Current version :** 4.0.0, issued: 28.06.2024**Replaced version:** 3.0.0, issued: 15.12.2023**Region:** GB

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

Recommended storage temperature

Value 5 - 25 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

Incompatible products

Do not store together with fire promoting substances. Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	2009/161/EU		
	methyl methacrylate		
	WEL short-term (15 min reference period)		100 ppm
	WEL long-term (8-hr TWA reference period)		50 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Methyl methacrylate		
	WEL short-term (15 min reference period)	416 mg/m ³	100 ppm
	WEL long-term (8-hr TWA reference period)	208 mg/m ³	50 ppm

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name	CAS / EC no	
	Route of exposure	Exposure time	Effect
1	methyl-methacrylate	80-62-6 201-297-1	
	dermal	Short term (acute)	local 1.5 mg/cm ²
	dermal	Long term (chronic)	systemic 13.67 mg/kg
	dermal	Long term (chronic)	local 1.5 mg/cm ²
	inhalative	Long term (chronic)	systemic 348.4 mg/m ³
	inhalative	Long term (chronic)	local 208 mg/m ³
	inhalative	Short term (acute)	local 416 mg/m ³
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5 915-687-0	
	dermal	Long term (chronic)	systemic 1.8 mg/kg bw/day
	inhalative	Long term (chronic)	systemic 1.27 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no	
	Route of exposure	Exposure time	Effect
1	methyl-methacrylate	80-62-6 201-297-1	
	oral	Long term (chronic)	systemic 8.2 mg/kg bw/day
	dermal	Short term (acute)	local 1.5 mg/cm ²
	dermal	Long term (chronic)	systemic 8.2 mg/kg
	dermal	Long term (chronic)	local 1.5 mg/cm ²
	inhalative	Long term (chronic)	systemic 74.3 mg/m ³

Trade name: WIDOCRYL-Filler (Screet)**Current version :** 4.0.0, issued: 28.06.2024**Replaced version:** 3.0.0, issued: 15.12.2023**Region:** GB

	inhalative	Long term (chronic)	local	104	mg/m ³
	inhalative	Short term (acut)	local	208	mg/m ³
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate			1065336-91-5 915-687-0	
	oral	Long term (chronic)	systemic	0.18	mg/kg bw/day
	dermal	Long term (chronic)	systemic	0.9	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	0.31	mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	methyl-methacrylate		80-62-6 201-297-1
	water	fresh water	0.94 mg/L
	water	marine water	0.094 mg/L
	water	Aqua intermittent	0.94 mg/L
	water	fresh water sediment	10.2 mg/kg
	water	marine water sediment	0.102 mg/kg dry weight
	soil	-	1.48 mg/kg dry weight
	sewage treatment plant	-	10 mg/L
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate		1065336-91-5 915-687-0
	water	fresh water	0.002 mg/L
	water	marine water	0 mg/L
	water	fresh water sediment	1.05 mg/kg dry weight
	water	marine water sediment	0.11 mg/kg dry weight
	soil	-	0.21 mg/kg dry weight
	sewage treatment plant	-	1 mg/L

8.2 Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Other

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

No data available.

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation	
liquid	
Colour	
pigmented	
Odour	
of acrylate	
Odour threshold	
Value	0.05 ppm
pH value	
No data available	
Boiling point / boiling range	
Value	101 °C
Reference substance	Methyl methacrylate
Melting point/freezing point	
Value	-48 °C
Reference substance	Methyl methacrylate
Decomposition temperature	
No data available	
Flash point	
Value	12 °C
Reference substance	Methyl methacrylate
Ignition temperature	
No data available	
Flammability	
No data available	
Lower explosion limit	
Value	2.1 % vol
Reference substance	Methyl methacrylate
Upper explosion limit	
Value	12.5 % vol
Reference substance	Methyl methacrylate
Vapour pressure	
Value	38.7 mbar
Reference substance	Methyl methacrylate
Relative vapour density	
No data available	
Relative density	
No data available	
Density	
Value	1.36 g/cm ³
Reference temperature	25 °C
Solubility in water	
Comments	insoluble

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

Solubility	
No data available	

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
log Pow		1.38	
Reference temperature		20	°C
Source		ECHA	
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
log Pow		2.37 - 2.77	
Reference temperature		25	°C
with reference to		pH 7	
Method		OECD 107	
Source		ECHA	
3	dodecane-1-thiol	112-55-0	203-984-1
log Pow		>	6.5
Reference temperature		25	°C
with reference to		pH 7	
Method		OECD 117	
Source		ECHA	

Kinematic viscosity	
Value	3000 - 7000 mPa*s
Reference temperature	25 °C

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Polymerization upon exposure to white light, ultraviolet light or heat. Polymerization is highly exothermic and may produce sufficient heat to cause thermal decomposition and/or rupture of the container.

10.4 Conditions to avoid

Heat, naked flames or other ignition sources, electrostatic charge and discharge, formation of vapours/aerosols.

10.5 Incompatible materials

Peroxides; Amines; Heavy metals; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
No data available.			

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

1	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
LD50		3230	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	dodecane-1-thiol	112-55-0	203-984-1
LD50	>	5000	mg/kg bodyweight
Species	rat		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
LD50	>	3170	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	dodecane-1-thiol	112-55-0	203-984-1
LD50	>=	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LC50		29.8	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
Species	rabbit		
Method	EPA OPP 81-5		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	dodecane-1-thiol	112-55-0	203-984-1
Duration of exposure		4	h
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	corrosive		

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
Species		rabbit	
Method		EPA OPP 81-4	
Source		ECHA	
Evaluation		non-irritant	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	dodecane-1-thiol	112-55-0	203-984-1
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	
Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
Type of examination		in vitro gene mutation study in mammalian cells	
Species		Chinese hamster V79 cells	
Method		OECD 476	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		in vitro gene mutation study in bacteria	
Species		Salmonella typhimurium / Escherichia coli	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		In vitro Mammalian Chromosomal Aberration Test	
Species		Human Lymphocyte	
Method		OECD 473	
Source		ECHA	
Evaluation/classification		Based on the available data, the classification criteria are not met.	
Route of exposure		oral	

Trade name: WIDOCRYL-Filler (Screet)**Current version :** 4.0.0, issued: 28.06.2024**Replaced version:** 3.0.0, issued: 15.12.2023**Region:** GB

Type of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte micronucleus
Species	mouse
Method	OECD 474
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Reproduction toxicity

No data available

Carcinogenicity

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure

No data available

STOT - repeated exposure

No	Substance name	CAS no.	EC no.
1	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
Route of exposure		oral	
Species		rats (male/female)	
Method		OECD 407	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Aspiration hazard

No data available

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LC50		>	79 mg/l
Duration of exposure			96 h
Species		Oncorhynchus mykiss	
Method		OECD 203	
Source		ECHA	
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
LC50			0.9 mg/l
Duration of exposure			96 h
Species		Danio rerio	
Source		ECHA	
3	dodecane-1-thiol	112-55-0	203-984-1
LC50		>	100 mg/l

Trade name: WIDOCRYL-Filler (Screet)**Current version :** 4.0.0, issued: 28.06.2024**Replaced version:** 3.0.0, issued: 15.12.2023**Region:** GB

Duration of exposure	96	h
Species	Oncorhynchus mykiss	
Source	ECHA	

Toxicity to fish (chronic)
No data available

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
EC50		69	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	dodecane-1-thiol	112-55-0	203-984-1
EC50	>	10	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
Evaluation/classification	The tested concentration is above the limit of solubility. Based on available data, the classification criteria are not met.		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
NOEC		37	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
EC50	>	110	mg/l
Duration of exposure		72	h
Species	Selenastrum capricornutum		
Method	OECD 201		
Source	ECHA		
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
EC50		0.42	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
3	dodecane-1-thiol	112-55-0	203-984-1
EC50	>	0.0145	mg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	OECD 201		
Source	ECHA		
Evaluation/classification	The tested concentration is above the limit of solubility. Based on available data, the classification criteria are not met.		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	dodecane-1-thiol	112-55-0	203-984-1

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

NOEC	14.5	µg/l
Duration of exposure	72	h
Species	Raphidocelis subcapitata	
Source	ECHA	
Evaluation/classification	Based on available data, the classification criteria are met.	

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
IC50	>=	100	mg/l
Duration of exposure		3	h
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Value		94	%
Duration		14	day(s)
Method	OECD 301 C		
Source	ECHA		
Evaluation	readily biodegradable		
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
Type	aerobic biodegradation		
Value		38	%
Duration		28	d
Method	OECD 301 E		
Source	ECHA		
Evaluation	Moderately/partially biodegradable		

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
BCF		<	31.4
Species	Cyprinus carpio		
Source	ECHA		

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
log Pow		1.38	
Reference temperature		20	°C
Source	ECHA		
2	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	915-687-0
log Pow	2.37	-	2.77
Reference temperature with reference to		25	°C
Method	pH 7 OECD 107		

Trade name: WIDOCRYL-Filler (Screet)**Current version :** 4.0.0, issued: 28.06.2024**Replaced version:** 3.0.0, issued: 15.12.2023**Region:** GB

Source	ECHA		
3	dodecane-1-thiol	112-55-0	203-984-1
log Pow	>	6.5	
Reference temperature with reference to		25	°C
Method	pH 7 OECD 117		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR/RID/ADN	UN1866
IMDG	UN1866
ICAO-TI / IATA	UN1866

14.2 UN proper shipping name

ADR/RID/ADN	RESIN SOLUTION
Technical name	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
IMDG	RESIN SOLUTION
Technical name	Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
ICAO-TI / IATA	Resin solution

14.3 Transport hazard class(es)

Trade name: WIDOCRYL-Filler (Screet)**Current version :** 4.0.0, issued: 28.06.2024**Replaced version:** 3.0.0, issued: 15.12.2023**Region:** GB

ADR/RID/ADN - Class 3
 Label 3
 Classification code F1
 Tunnel restriction code D/E
 Hazard identification no. 33
 Special Provision 640 640C

IMDG - Class 3
 Label 3

ICAO-TI / IATA - Class 3
 Label 3

14.4 Packing group

ADR/RID/ADN II
IMDG II
ICAO-TI / IATA II

14.5 Environmental hazards

ADR/RID/ADN Symbol "fish and tree"
IMDG Symbol "fish and tree"
EmS F-E, S-E

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	methyl-methacrylate	80-62-6	201-297-1	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category: E2, P5b

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Trade name: WIDOCRYL-Filler (Screet)

Current version : 4.0.0, issued: 28.06.2024

Replaced version: 3.0.0, issued: 15.12.2023

Region: GB

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D	Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.
---	--

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 776256