

Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WIDOCRYL-Special Primer PM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

primer

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0 Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb info@umco.de

Details of the importer

Address

Widopan Limited System House

Horndon Industrial Park

24 Station Rd West Horndon Brentwood

CM13 3XL

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Flam. Liq. 2; H225 Skin Irrit. 2; H315

Skin Sens. 1; H317 STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements



Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





Signal word

Danger

Hazardous component(s) to be indicated on label:

methyl-methacrylate ethylene dimethacrylate

2-(N-methyl-p-toluidino)ethanol

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.

P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to

extinguish.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

PBT assessment No data available.

vPvB assessment No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Methyl methacrylate-based reactive resin

Hazardous ingredients

No	Substance name		Additi	onal information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	Concentration		%
	REACH no					
1	methyl-methacrylate					
	80-62-6	Flam. Liq. 2; H225	>=	70.00 - <	90.00	wt%
	201-297-1	Skin Irrit. 2; H315				
	607-035-00-6	Skin Sens. 1; H317				
	01-2119452498-28	STOT SE 3; H335				
2	ethylene dimethacr	ethylene dimethacrylate				



Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

	97-90-5 202-617-2 607-114-00-5 01-2119965172-38	Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 3; H412	>=	5.00 - <	10.00	wt%
3	2-(N-methyl-p-toluidino)ethanol					
	2842-44-6	Skin Sens. 1; H317	<	2.50		wt%
	220-638-5	Eye Irrit. 2; H319				
	-	Aquatic Chronic 2; H411				
	01-2120827830-56					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

Remove with a cloth or paper. Wash off with soap and water. Don't use solvents. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Drink water in small gulps. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures



Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

Recommended storage temperature

Value 5 - 25 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

Incompatible products

Do not store together with fire promoting substances. Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	2009/161/EU		



Trade name: WIDOCRYL-Special Primer PM

Current version : 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

_					
	methyl methacrylate				
	WEL short-term (15 min reference period)			100	ppm
	WEL long-term (8-hr TWA reference period)			50	ppm
	List of approved workplace exposure limits (WELs) / EH40				
	Methyl methacrylate				
	WEL short-term (15 min reference period)	416	mg/m³	100	ppm
	WEL long-term (8-hr TWA reference period)	208	mg/m³	50	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate	nethyl-methacrylate			
				201-297-1	
	dermal	Short term (acut)	local	1.5	mg/cm ²
	dermal	Long term (chronic)	systemic	13.67	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm ²
	inhalative	Long term (chronic)	systemic	208	mg/m³
	inhalative	Long term (chronic)	local	208	mg/m³
2	ethylene dimethacrylate		97-90-5		
				202-617-2	
	dermal	Long term (chronic)	systemic	1.3	mg/kg/day
	inhalative	Long term (chronic)	systemic	2.45	mg/m³

DNEL value (consumer)

DNEL value (consumer)						
No	Substance name			CAS / EC n	0	
	Route of exposure	Exposure time	Effect	Value		
1	methyl-methacrylate			80-62-6		
				201-297-1		
	dermal	Short term (acut)	local	1.5	mg/cm²	
	dermal	Long term (chronic)	systemic	8.2	mg/kg	
	dermal	Long term (chronic)	local	1.5	mg/cm²	
	inhalative	Long term (chronic)	systemic	74.3	mg/m³	
	inhalative	Long term (chronic)	local	104	mg/m³	
2	ethylene dimethacrylate			97-90-5		
				202-617-2		
	oral	Long term (chronic)	systemic	0.83	mg/kg/day	
	dermal	Long term (chronic)	systemic	0.83	mg/kg/day	
	inhalative	Long term (chronic)	svstemic	1.45	mg/m³	

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	methyl-methacrylate		80-62-6	
			201-297-1	
	water	fresh water	0.94	mg/L
	water	marine water	0.94	mg/L
	water	Aqua intermittent	0.94	mg/L
	water	fresh water sediment	5.74	mg/kg
	soil	-	1.47	mg/kg
	sewage treatment plant	-	10	mg/L
2	ethylene dimethacrylate		97-90-5	
			202-617-2	
	water	marine water	0.014	mg/L
	water	fresh water	0.139	mg/L
	water	marine water sediment	0.16	mg/kg dry
				weight
	water	fresh water sediment	1.6	mg/kg dry
				weight



Trade name: WIDOCRYL-Special Primer PM

Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

soil	-	0.239	mg/kg dry weight
sewage treatment plant	-	57	mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas):

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Breakthrough time > 60 min

Other

fire-resistant protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	ar and chemical properties	
liquid		
nquiu		
Form/Colour		
liquid		
colourless		
Odour		
of acrylate		
Odour threshold		
Value	0.05 p	pm
Reference substance	Methyl methacrylate	
pH value		
No data available		
Boiling point / boiling range		
Value	100.3 °C	С
Method	DIN 51751	
Reference substance	Methyl methacrylate	
Melting point/freezing point		
Value	-48 °(С
Reference substance	Methyl methacrylate	
Decomposition temperature		



Trade name: WIDOCRYL-Special Primer PM

Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

No data available					
Flash point Value		11.5	°C		
Method	DIN 51755	11.0	•		
Reference substance	Methyl meth	acrylate			
Ignition temperature					
No data available					
Flammability No data available					
Lower explosion limit					
Value	Mathyl math	2.1	% vol		
Reference substance	Methyl meth	acrylate			
Upper explosion limit					
Value	RA (1 1 2	12.5	% vol		
Reference substance	Methyl meth	acrylate			
Vapour pressure					
Value		38.7	mbar		
Reference substance	Methyl meth	acrylate			
Relative vapour density					
No data available					
Relative density					
No data available					
Density Value		0.99	g/cm³		
Reference temperature		25	°C		
Method	DIN 53217		_		
Solubility in water					
Comments	insoluble				
	Intertable				
Solubility					
No data available					
Partition coefficient n-octanol/water (log	value)				
No Substance name		CAS no.		EC no.	
1 methyl-methacrylate		80-62-6	1 20	201-297-1	
log Pow Reference temperature			1.38 20	°C	
Source	ECHA				
2 ethylene dimethacrylate		97-90-5		202-617-2	
log Pow			2.4		
Reference temperature	0505 445		20	°C	
Method Source	OECD 117 ECHA				
3 2-(N-methyl-p-toluidino)ethanol	LECTIA	2842-44-6		220-638-5	
log Pow	appr.		2.2	220 000-0	
Reference temperature			25	°C	
Method	OECD 117				
Source	ECHA				
Kinematic viscosity					
Value	100	- 130	mPa*s		
Reference temperature		25	°C		
Type	kinematic				
Method	DIN 53018				



Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable if stored and handled properly.

10.3 Possibility of hazardous reactions

Polymerization upon exposure to white light, ultraviolet light or heat. Polymerization is highly exothermic and may produce sufficient heat to cause thermal decomposition and/or rupture of the container.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from sun.

10.5 Incompatible materials

Peroxides; Amines; Azo compounds; Heavy metals; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	ethylene dimethacrylate		97-90-5		202-617-2
LD5	0	appr.		8300	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD			
Soul	rce	ECHA			
2	2-(N-methyl-p-toluidino)ethanol		2842-44-6		220-638-5
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	EPA OPPTS	870.1100		
Soul	rce	ECHA			

Acute dermal toxicity			
No Substance name		CAS no.	EC no.
1 methyl-methacrylate		80-62-6	201-297-1
LD50	>	50	00 mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2 ethylene dimethacryla	te	97-90-5	202-617-2
LD50	>	20	01 mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acu	te inhalational toxicity		
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LC5	0	29.8	mg/l



Trade name: WIDOCRYL-Special Primer PM

rent version: 4.0.0, issued: 14.06.2022	Replaced vers	ion: 3.3.0, issued:	11.06.2021	Reg
Duration of exposure		4	h	
State of aggregation	Vapour			
Species	rat			
Source Source	ECHA			
Skin corrosion/irritation				
No Substance name	CAS	S no.	EC no.	
1 2-(N-methyl-p-toluidino)ethanol	284	2-44-6	220-638-5	
Species	rabbit			
Method	EPA OPPTS 870.	2500		
Source	ECHA			
Evaluation	non-irritant			
Serious eye damage/irritation				
No Substance name		S no.	EC no.	
1 2-(N-methyl-p-toluidino)ethanol		2-44-6	220-638-5	
Method	OECD 437			
Source	ECHA			
Evaluation	Irritating to eyes			
Respiratory or skin sensitisation				
No Substance name		S no.	EC no.	
1 methyl-methacrylate		62-6	201-297-1	
Route of exposure	Skin			
Species	mouse			
Method	OECD 429			
Source	ECHA			
Evaluation	sensitizing			
2 ethylene dimethacrylate		90-5	202-617-2	
Route of exposure	Skin			
Species	mouse			
Method	OECD 406			
Source	ECHA			
Evaluation	sensitizing			
Evaluation/classification			ification criteria are met.	
3 2-(N-methyl-p-toluidino)ethanol		2-44-6	220-638-5	
Route of exposure Method	Skin OECD 442D			
1				
Source	ECHA			
Evaluation	sensitizing			
Germ cell mutagenicity				
No Substance name 1 methyl-methacrylate		S no. 62-6	EC no. 201-297-1	
Source	ECHA) 2- 0	201-237-1	
Evaluation/classification		a data the aless	ification criteria are not met.	
2 2-(N-methyl-p-toluidino)ethanol		<u>e data, the class</u> 2-44-6	220-638-5	
Source	ECHA	L-17-U	ZZU-030-3	
Evaluation/classification		e data, the class	ification criteria are not met.	
Reproduction toxicity				
No data available				
Carcinogenicity				
No Substance name	CAS	S no.	EC no.	
1 methyl-methacrylate		62-6	201-297-1	
Source	ECHA			
Evaluation/classification	Based on availabl	<u>e data, the class</u>	ification criteria are not met.	
STOT - single exposure				
No data available				
STOT - repeated exposure				



Trade name: WIDOCRYL-Special Primer PM

Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

No data available

Aspiration hazard
No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	city to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	methyl-methacrylate	80-62-6		201-297-1	
LC5	0	>	79	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Oncorhynchus mykiss			
Meth	nod	OECD 203			
Soul	rce	ECHA			
2	ethylene dimethacrylate	97-90-5		202-617-2	
LC5	0		15.95	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Danio rerio			
Meth	nod	OECD 203			
Soul	rce	ECHA			

Toxicity to fish (chronic) No data available

Toxi	city to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	methyl-methacrylate	80-62-6		201-297-1	
EC5	0		69	mg/l	
Dura	tion of exposure		48	h	
Spe	cies	Daphnia magna			
Meth	nod	OECD 202			
Soul	ce	ECHA			
2	ethylene dimethacrylate	97-90-5		202-617-2	
EC5	0		44.9	mg/l	
Dura	ition of exposure		48	h	
Spe	cies	Daphnia magna			
Meth	nod	EU Method C.2			
Soul	ce	ECHA			
3	2-(N-methyl-p-toluidino)ethanol	2842-44-6		220-638-5	
EC5	0		7.03	mg/l	
Dura	tion of exposure		48	h	
Spe	cies	Daphnia magna			
Meth	nod	OECD 202			
Soul	ce	ECHA			

Toxi	Toxicity to Daphnia (chronic)						
No	Substance name	CAS no.		EC no.			
1	methyl-methacrylate	80-62-6		201-297-1			
NOE	EC .		37	mg/l			
Dura	ation of exposure		21	day(s)			
Spec Meth		Daphnia magna OECD 211					



Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

Source	ECHA			
2 ethylene dimethacrylate	97-90-5		202-617-2	
NOEC		5.05	mg/l	
Duration of exposure		21	day(s)	
Species	Daphnia magna			
Method	OECD 211			
Source	ECHA			

Tox	icity to algae (acute)			
No	Substance name	CAS no.		EC no.
1	methyl-methacrylate	80-62-6		201-297-1
EC5	0	>	110	mg/l
Dura	ation of exposure		72	h
Spe	cies	Selenastrum capricornutum		
Metl	nod	OECD 201		
Sou	rce	ECHA		
2	ethylene dimethacrylate	97-90-5		202-617-2
EC5	0		17.3	mg/l
Dura	ation of exposure		72	h
Spe	cies	Raphidocelis subcapitata		
Metl	nod	OECD 201		
Sou	rce	ECHA		
3	2-(N-methyl-p-toluidino)ethanol	2842-44-6		220-638-5
EC5	0		48.50	mg/l
Dura	ation of exposure		72	h
Spe		Desmodesmus subspicatus		
Metl	nod	OECD 201		
Sou	rce	ECHA		

Toxicity to algae (chronic) No data available

Bac	Bacteria toxicity						
No	Substance name	CAS no.		EC no.			
1	ethylene dimethacrylate	97-90-5		202-617-2			
EC5	50		570	mg/l			
Dura	ation of exposure		3	h			
Spe	cies	Pseudomonas putida					
Method		OECD 209					
Soul	rce	ECHA					

12.2 Persistence and degradability

2 <u>.2 I</u>	Persistence and degradability				
Biod	degradability				
No	Substance name	CAS no.		EC no.	
1	methyl-methacrylate	80-62-6		201-297-1	
Valu	e	9	4	%	
Dura	ation	1	4	day(s)	
Meth	nod	OECD 301 C			
Sou	rce	ECHA			
Eval	uation	readily biodegradable			
2	ethylene dimethacrylate	97-90-5		202-617-2	
Valu	e	6	9	%	
Dura	ation	2	8	d	
Method		OECD 301 F			
Source		ECHA			
Evaluation		The test material is readily biodegradable but failed the 10-day			
		window requirement according to the definitions of OECD Guideline			
		301E.			
3	2-(N-methyl-p-toluidino)ethanol	2842-44-6		220-638-5	
Туре	<u> </u>	aerobic biodegradation			
Valu	e	2	2.7	%	



Trade name: WIDOCRYL-Special Primer PM

Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

Duration		28	day(s)
Method	OECD 301 B		• , ,
Source	ECHA		
Evaluation	not readily biodegradable		

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)				
No	Substance name	CAS no.	EC no.		
1	ethylene dimethacrylate	97-90-5	202-617-2		
BCF		21.9			
Method		Calculation model used (Q)SAR			
Source		ECHA `´			

Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.	
1	methyl-methacrylate		80-62-6		201-297-1	
log F	Pow			1.38		
Refe	erence temperature			20	°C	
Sou	rce	ECHA				
2	ethylene dimethacrylate		97-90-5		202-617-2	
log F	Pow			2.4		
Refe	erence temperature			20	°C	
Meth	nod	OECD 117				
Sou	rce	ECHA				
3	2-(N-methyl-p-toluidino)ethanol		2842-44-6		220-638-5	
log F	Pow	appr.		2.2		
Refe	erence temperature			25	°C	
Meth	nod	OECD 117				
Sou	rce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not discharge product un	nitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information



Trade name: WIDOCRYL-Special Primer PM

Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group II
Hazard identification no. 33
UN number UN1866

Proper shipping name RESIN SOLUTION

Special Provision 640 640C Tunnel restriction code D/E Label 3

14.2 Transport IMDG

Class 3 Packing group II

UN number UN1866

Proper shipping name RESIN SOLUTION

EmS F-E, S-E

Label 3

14.3 Transport ICAO-TI / IATA

Class 3
Packing group II
UN number UN1866
Proper shipping name Resin solution

Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No	
1	ethylene dimethacrylate	97-90-5	202-617-2	75	-
2	methyl-methacrylate	80-62-6	201-297-1	75	



Trade name: WIDOCRYL-Special Primer PM

Current version: 4.0.0, issued: 14.06.2022 Replaced version: 3.3.0, issued: 11.06.2021 Region: GB

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

P5b

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D Certain substances which are susceptible to spontaneous polymerisation or

decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the

substance followed by the words 'non-stabilised'.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 623920