

Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Binding agent for WIDOPERL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

binder designed for aggregate filling

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0 Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb_info@umco.de

Details of the importer

Address

Widopan Limited System House

Horndon Industrial Park

24 Station Rd

West Horndon

Brentwood

CM13 3XL

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H332 Carc. 2; H351 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT RE 2; H373 STOT SE 3; H335

Classification information



Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





GHS07

Signal word Danger

Hazardous component(s) to be indicated on label:

Aromatic polyisocyanate prepolymer diphenylmethane-4,4'-diisocyanate diphenylmethane-2,4'-diisocyanate Aromatic polyisocyanate prepolymer

diphenylmethanediisocyanate, isomeres and homologues

2,2'-methylenediphenyl diisocyanate

Hazard statement(s)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure

Hazard statements (EU)

EUH204 Contains isocyanates. May produce an allergic reaction.
EUH208 Contains dibutyltin-dilaurate. May produce an allergic reaction.

Precautionary statement(s)

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 In case of inadequate ventilation wear respiratory protection.
P308+P313 IF exposed or concerned: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

Supplemental label elements

'As from 24 August 2023 adequate training is required before industrial or professional use'

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures



Trade name: Binding agent for WIDOPERL

Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

Hazardous ingredients

	Substance name		Δddit	ional informatio	n	
INU	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	_	entration		%
	REACH no	Glassification (EG) 12/2/2000 (GLP)	Conc	Cilliadoll		/0
1	Aromatic polyisocy	 anato propolymor				
	72088-97-2	Acute Tox. 4; H332	>=	25.00 - <	50.00	wt%
	12000-91-2	Skin Irrit. 2; H315		25.00 - <	50.00	WL70
	-	Eye Irrit. 2; H319				
	-					
	-	Resp. Sens. 1; H334 Skin Sens. 1; H317				
		STOT SE 3; H335				
		STOT SE 3, H333				
2	dinhanylmathana A	,				
	diphenylmethane-4	Acute Tox. 4; H332	>=	10.00 - <	25.00	wt%
	202-966-0	1	/-	10.00 - <	25.00	W170
		Carc. 2; H351				
	615-005-00-9	Eye Irrit. 2; H319				
	01-2119457014-47	Resp. Sens. 1; H334				
		Skin Irrit. 2; H315	1			
		Skin Sens. 1; H317	1			
		STOT RE 2; H373i	1			
0	alimbani dina a	STOT SE 3; H335				
3	diphenylmethane-2			40.00	05.00	407
	5873-54-1	Acute Tox. 4; H332	>=	10.00 - <	25.00	wt%
	227-534-9	Carc. 2; H351	1			
	615-005-00-9	Eye Irrit. 2; H319				
	01-2119480143-45	Resp. Sens. 1; H334				
		Skin Irrit. 2; H315				
		Skin Sens. 1; H317				
		STOT RE 2; H373i				
		STOT SE 3; H335				
4	Aromatic polyisocy					
	67815-87-6	Skin Irrit. 2; H315	>=	10.00 - <	25.00	wt%
	-	Skin Sens. 1; H317				
	-	Eye Irrit. 2; H319				
	-	Acute Tox. 4; H332				
		Resp. Sens. 1; H334				
		STOT SE 3; H335				
		STOT RE 2; H373	1			
5		iisocyanate, isomeres and homologues				
	9016-87-9	Skin Irrit. 2; H315	>=	5.00 - <	10.00	wt%
	-	Skin Sens. 1; H317	1			
	615-005-00-9	Eye Irrit. 2; H319				
	-	Acute Tox. 4*; H332	1			
		Resp. Sens. 1; H334				
		STOT SE 3; H335	1			
		Carc. 2; H351				
		STOT RE 2*; H373**				
6	2,2'-methylenediph					
	2536-05-2	Acute Tox. 4; H332	<	2.50		wt%
	219-799-4	Carc. 2; H351				
	615-005-00-9	Eye Irrit. 2; H319				
	01-2119927323-43	Resp. Sens. 1; H334				
		Skin Irrit. 2; H315				
		Skin Sens. 1; H317				
		STOT RE 2; H373i	1			
		STOT SE 3; H335	1			
7	tosyl isocyanate					
	-,,					



Trade name: Binding agent for WIDOPERL

Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

	4083-64-1	EUH014	<	2.50	wt%
	223-810-8	Eye Irrit. 2; H319			
	615-012-00-7	Resp. Sens. 1; H334			
	01-2119980050-47	Skin Irrit. 2; H315			
		STOT SE 3; H335			
8	dibutyltin-dilaurate				
	77-58-7	Aquatic Acute 1; H400	<	0.50	wt%
	201-039-8	Aquatic Chronic 1; H410			
	050-030-00-3	Muta. 2; H341			
	01-2119496068-27	Repr. 1B; H360FD			
		Skin Corr. 1B; H314			
		Skin Sens. 1; H317			
		STOT RE 1; H372o			
		Eye Dam. 1; H318			
		STOT SE 1; H370			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	C, 2	Resp. Sens. 1; H334: C >= 0.1% Eye Irrit. 2; H319: C >= 5% Skin Irrit. 2; H315: C >= 5% STOT SE 3; H335: C >= 5%	-	-
3	C, 2	Resp. Sens. 1; H334: C >= 0.1% Eye Irrit. 2; H319: C >= 5% STOT SE 3; H335: C >= 5% Skin Irrit. 2; H315: C >= 5%	-	-
5	C, 2	Resp. Sens. 1; H334: C >= 0.1% Skin Irrit. 2; H315: C >= 5% Eye Irrit. 2; H319: C >= 5% STOT SE 3; H335: C >= 5%	-	-
6	C, 2	Resp. Sens. 1; H334: C >= 0.1% Eye Irrit. 2; H319: C >= 5% Skin Irrit. 2; H315: C >= 5% STOT SE 3; H335: C >= 5%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
2	H373i
	inhalational; -; -
3	H373i
	inhalational; -; -
6	H373i
	inhalational; -; -
8	H372
	oral; liver; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.



Trade name: Binding agent for WIDOPERL

Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

After skin contact

Wash off immediately with soap and water. Don't use solvents.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Rinse the mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Isocyanate vapours. Traces of hydrogen cyanide.

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Suppress gases/vapours/mists with water spray jet. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Cover up with damp, liquid absorbing material (e. g. sawdust, chemical binding material based on calcium silicate hydrate, sand). After 1 hour collect in stainless containers for waste material disposal. Do not seal containers (generation of CO2)! Keep damp and let stand in a secured outdoor location for several days. Dispose according to section 13. Clean contaminated surfaces thoroughly with water. Decontaminate wash water (see item 7) and dispose of

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling



Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

Ensure adequate ventilation. When filling, transferring, or emptying of containers, adequate suctioning close to work place necessary. Provide suitable exhaust ventilation at the processing machines. If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Keep ready a decontamination solution consisting of ammonia solution (190 g/l), water and ethanol (5 %, 50 %, 45 %).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Precautions should be taken to minimise exposure to atmospheric humidity or water: CO2 will be formed which in closed containers can result in pressurisation. DO NOT KEEP THE CONTAINERS SEALED!! Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Cover opened container with nitrogen in order to keep moisture away from the product.

Incompatible products

Do not store together with: oxidizing agents; Metals; Reducing agents; Keep away from water. Alcohols; Amines; Acids; Bases

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	diphenylmethane-4,4'-diisocyanate	101-68-8		202-966-0		
	List of approved workplace exposure limits (WELs) / I	EH40				
	Isocyanates, all (as -NCO) Exept methyl isocyanate					
	WEL short-term (15 min reference period)	0.07	mg/m³			
	WEL long-term (8-hr TWA reference period)	0.02	mg/m³			
	Comments	Sen				
2	diphenylmethanediisocyanate, isomeres and	9016-87-9				
	homologues					
	List of approved workplace exposure limits (WELs) / EH40					
	Isocyanates, all (as -NCO) Exept methyl isocyanate					
	WEL short-term (15 min reference period)	0.07	mg/m³			
	WEL long-term (8-hr TWA reference period)	0.02	mg/m³			
	Comments	Sen				
3	2,2'-methylenediphenyl diisocyanate	2536-05-2		219-799-4		
	List of approved workplace exposure limits (WELs) / I	EH40				
	Isocyanates, all (as -NCO) Exept methyl isocyanate					
	WEL short-term (15 min reference period)	0.07	mg/m³			
	WEL long-term (8-hr TWA reference period)	0.02	mg/m³			
	Comments	Sen				
4	dibutyltin-dilaurate	77-58-7		201-039-8		
	List of approved workplace exposure limits (WELs) / I	EH40				



Trade name: Binding agent for WIDOPERL

Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

Tin compounds, organic, except Cyhexatin (ISO), (as Sn)				
WEL short-term (15 min reference period)	0.2	mg/m³		
WEL long-term (8-hr TWA reference period)	0.1	mg/m³		
Comments	Sk			

DNEL, DMEL and PNEC values

DNEL values (worker)

	DNEL values (worker)						
No	Substance name			CAS / EC no			
	Route of exposure	Exposure time	Effect	Value			
1	diphenylmethane-4,4'-diis	ocyanate		101-68-8			
	-			202-966-0			
	inhalative	Long term (chronic)	local	0.05	mg/m³		
	inhalative	Short term (acut)	local	0.1	mg/m³		
2	diphenylmethane-2,4'-diisocyanate			5873-54-1			
	-			227-534-9			
	inhalative	Long term (chronic)	local	0.05	mg/m³		
	inhalative	Short term (acut)	local	0.1	mg/m³		
3	2,2'-methylenediphenyl di	isocyanate		2536-05-2			
				219-799-4			
	inhalative	Short term (acut)	local	0.1	mg/m³		
	inhalative	Long term (chronic)	local	0.05	mg/m³		
4	dibutyltin-dilaurate			77-58-7			
				201-039-8			
	dermal	Long term (chronic)	systemic	0.43	mg/kg bw/day		
	dermal	Short term (acut)	systemic	2.08	mg/kg bw/day		
	inhalative	Long term (chronic)	systemic	0.02	mg/m³		
	inhalative	Short term (acut)	systemic	0.059	mg/m³		

DNEL value (consumer)

	DNEL value (consumer)					
No	Substance name			CAS / EC no	0	
	Route of exposure	Exposure time	Effect	Value		
1	diphenylmethane-4,4'-diis	socyanate		101-68-8		
				202-966-0		
	inhalative	Long term (chronic)	local	0.025	mg/m³	
	inhalative	Short term (acut)	local	0.05	mg/m³	
2	diphenylmethane-2,4'-diis	socyanate		5873-54-1		
				227-534-9		
	inhalative	Long term (chronic)	local	0.025	mg/m³	
	inhalative	Short term (acut)	local	0.05	mg/m³	
3	3 2,2'-methylenediphenyl diisocyanate			2536-05-2		
				219-799-4		
	inhalative	Short term (acut)	local	0.05	mg/m³	
	inhalative	Long term (chronic)	local	0.025	mg/m³	
4	dibutyltin-dilaurate			77-58-7		
				201-039-8		
	oral	Long term (chronic)	systemic	0.003	mg/kg bw/day	
	oral	Short term (acut)	systemic	0.02	mg/kg bw/day	
	dermal	Long term (chronic)	systemic	0.16	mg/kg bw/day	
	dermal	Short term (acut)	systemic	0.5	mg/kg bw/day	
	inhalative	Long term (chronic)	systemic	0.005	mg/m³	
	inhalative	Short term (acut)	local	0.04	mg/m³	

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	diphenylmethane-4,4'-diisocyanate		101-68-8	
			202-966-0	
	water	fresh water	3.7	μg/L



Trade name: Binding agent for WIDOPERL

Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

	water	marine water	0.37	μg/L
	water	fresh water sediment	11.7	mg/kg dry weight
	water	marine water sediment	1.17	mg/kg dry weight
	soil	-	2.33	mg/kg dry weight
	sewage treatment plant	-	1	mg/L
2	diphenylmethane-2,4'-diisocyan	diphenylmethane-2,4'-diisocyanate		
	water	fresh water	3.7	μg/L
	water	marine water	0.37	μg/L
	water	fresh water sediment	11.7	mg/kg dry weight
	water	marine water sediment	1.17	mg/kg dry weight
	soil	-	2.33	mg/kg dry weight
3	2,2'-methylenediphenyl diisocya	2536-05-2 219-799-4	_	
	water	fresh water	1	mg/L
	water	marine water	0.1	mg/L
	sewage treatment plant	-	1	mg/L
	secondary poisoning	-	1	mg/kg dry weight
4	dibutyltin-dilaurate	·	77-58-7 201-039-8	•
	water	fresh water	0	mg/L
	water	marine water	0	mg/L
	water	fresh water sediment	0.05	mg/kg dry weight
	water	marine water sediment	0.005	mg/kg dry weight
	soil	-	0.041	mg/kg dry weight
	sewage treatment plant	-	100	mg/L
	secondary poisoning	_	0.2	mg/kg food

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

In case of insufficient ventilation and during spray application respiratory protection necessary. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Polychloroprene Appropriate Material nitrile rubber



Trade name: Binding agent for WIDOPERL

Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

Appropriate Material butyl rubber
Appropriate Material fluorintated rubber

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

liquid			
Form			
liquid			
Colour			
dark brown			
Odour slightly aromatic			
pH value No data available			
Boiling point / boiling range			
Value	>	350	°C
Melting point/freezing point			
No data available			
Setting point / solidification range			20
Value	<	0	°C
Decomposition temperature Value	>	260	°C
		200	<u> </u>
Flash point Value	>	200	°C
Ignition temperature			
Value	>	400	°C
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit No data available			
Value	<	0.0000	mbar
		1	
Reference temperature Reference substance	Diphenylmethane	20 -4.4'-di-iso	°C ocvanate
Relative vapour density	, , , , , , , , , , , , , , , , , , , ,	,	
No data available			
Relative density			
No data available			



Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

Density					
Value	appr.	1.22	g/cm³		
Reference temperature		23	°C		
Method	DIN 53217				

Solubility in water				
Comments	insoluble			
Comments	Reacts with water			

Solubility	
No data available	

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.		
1	diphenylmethane-4,4'-diisocyanate		101-68-8		202-966-0		
log F	Pow			4.51			
Refe	rence temperature			20	°C		
Meth	nod	OECD 117					
Sour	rce rce	ECHA					
2	diphenylmethane-2,4'-diisocyanate		5873-54-1		227-534-9		
log F	Pow			4.51			
Refe	rence temperature			22	°C		
with	reference to	pH 7					
Meth	nod	OECD 117					
Sour	rce rce	ECHA					
3	dibutyltin-dilaurate		77-58-7		201-039-8		
log F	Pow			4.44			
Refe	rence temperature			20.8	°C		
Meth	nod	OECD 107					
Sour	ce	ECHA					

Kinematic viscosity				
Value	appr.	250	sec	
Reference temperature		23	°C	
Туре	Efflux time			
Method	DIN 53211 (4	mm)		

Particle characteristics	
l No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Moisture. Heat

10.5 Incompatible materials

Oxidizing agents; Metals; Reducing agents; Alcohols; Acids; Bases; Amines; Water

10.6 Hazardous decomposition products



Trade name: Binding agent for WIDOPERL

Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

In case of fire the following can be released: Isocyanate vapours; Traces of hydrogen cyanide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity					
No	Substance name		CAS no.		EC no.	
1	diphenylmethane-4,4'-diisocyanate	1	101-68-8		202-966-0	
LD5	0	>		2000	mg/kg bodyweight	
Spe	cies	rat				
Sou	rce	ECHA / Read a	cross			
2	dibutyltin-dilaurate	7	77-58-7		201-039-8	
LD5	0			2071	mg/kg bodyweight	
Spe	cies	rat				
Meth	nod	OECD 401				
Sou	rce	ECHA				

Acu	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	diphenylmethane-4,4'-diisocyanate		101-68-8		202-966-0
LD5	0	>		9400	mg/kg bodyweight
Spe	cies	rabbit			
Met	hod	OECD 402			
Sou	rce	ECHA / Read	d across		
2	dibutyltin-dilaurate		77-58-7		201-039-8
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rabbit			
Met	hod	OECD 402			
Sou	rce	ECHA			

Acute	Acute inhalational toxicity (result of the ATE calculation for the mixture)					
No	Product Name					
1	Binding agent for WIDOPERL					
	Mixture)	18.5369 mg/l				
Route	e of exposure / physical from	Vapour				
Metho	· · · · ·					
	(CLP), annex I, part 3, section 3.1.3.6.					

Acute inhalational toxicity No data available

Skir	Skin corrosion/irritation						
No	Substance name	CAS no.	EC no.				
1	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0				
Meth	nod	OECD 404					
Soul	rce	ECHA / Read across					
Eval	luation	irritant					
2	dibutyltin-dilaurate	77-58-7	201-039-8				
Meth	nod	OECD 431					
Source		ECHA					
Eval	luation	non-irritant					

Seri	Serious eye damage/irritation						
No	Substance name	CAS no.	EC no.				
1	dibutyltin-dilaurate	77-58-7	201-039-8				
Spe	cies	rabbit					
Meth	nod	OECD 405					
Soul	rce	ECHA					
Eval	uation	strongly irritant	· · ·				



Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

Res	Respiratory or skin sensitisation						
No	Substance name		CAS no.	EC no.			
1	dibutyltin-dilaurate		77-58-7	201-039-8			
Rout	te of exposure	Skin					
Spec	cies	guinea pig					
Meth	nod	OECD 406					
Source		ECHA					
Eval	Evaluation						

Ger	Germ cell mutagenicity					
No	Substance name	CAS no.	EC no.			
1	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9			
Sou	rce	ECHA				
Evaluation/classification		Based on available data, the classification	on criteria are not met.			

Reproduction toxicity	
No data available	

Carcinogenicity	
No data available	

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

In case of overexposure – especially during spraying applications without observed safety measures – danger of eye, nose, throat and airways irritation. Delayed appearance of difficulties and development of hypersensitivity (difficult breathing, coughing, and asthma) are possible. There may be hypersensitive persons who develop reactions following exposure to very low concentrations of isocyanates, even below the threshold limit value at the workplace. Tanning and irritating effects are possible at prolonged skin contact.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	Toxicity to fish (acute)					
No	Substance name		CAS no.		EC no.	
1	dibutyltin-dilaurate		77-58-7		201-039-8	
LC5	0			21.2	mg/l	
Dura	ation of exposure			96	h	
Species		Danio rerio				
Method		OECD 203				
Sou	rce	ECHA				

Toxicity to fish (chronic)	
No data available	

Tox	Toxicity to Daphnia (acute)				
No	Substance name	CAS no.	EC no.		
1	dibutyltin-dilaurate	77-58-7	201-039-8		



Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

EC50 Duration of exposure	<	0.463 48	mg/l h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic) No data available

Toxi	Toxicity to algae (acute)					
No	Substance name	CA	NS no.	EC no.		
1	dibutyltin-dilaurate	77	-58-7	201-039-8		
EC5	60	>	1	mg/l		
Dura	ation of exposure		72	h		
Species		Desmodesmus s	ubspicatus			
Meth	Method OECD 201					
Soul	Source ECHA					

Toxicity to algae (chronic) No data available

Bac	Bacteria toxicity					
No	Substance name	CAS no.		EC no.		
1	dibutyltin-dilaurate	77-58-7		201-039-8		
IC50		>	1000	mg/l		
Dura	ation of exposure		3	h		
Spec	cies	activated sludge				
Method		OECD 209				
Soul	rce	ECHA				

12.2 Persistence and degradability

E.E. I crostence and degradability							
Bio	Biodegradability						
No	Substance name	CAS no.	EC no.				
1	dibutyltin-dilaurate	77-58-7	201-039-8				
Valu	e	23	%				
Dura	ation	39	d				
Metl	nod	OECD 301 F					
Source		ECHA					
Evaluation		not readily biodegradable					

12.3 Bioaccumulative potential

Diodocamatan potential						
Bioconcentration factor (BCF)						
No	Substance name		CAS no.		EC no.	
1	diphenylmethane-2,4'-diisocyanate		5873-54-1		227-534-9	
BCF		92	-	200		
Meth	nod	OECD 305 E				
Soul	ce	ECHA				
2	dibutyltin-dilaurate		77-58-7		201-039-8	
BCF				2.91		
Meth	nod	OECD 305				
Soul	ce	ECHA				

Partition coefficient n-octanol/water (log value)						
No	Substance name	,	CAS no.		EC no.	
1	diphenylmethane-4,4'-diisocyanate		101-68-8		202-966-0	
log Pow				4.51		
Reference temperature				20	°C	
Method		OECD 117				
Source		ECHA				
2	diphenylmethane-2,4'-diisocyanate		5873-54-1		227-534-9	
log F	Pow			4.51		



Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

Reference temperature			22	°C	
•		pH 7			
Method		OECD 117			
Source		ECHA			
2	dibutyltin-dilaurate		77 FO 7	204 020 0	
3	uibutyitiii-uiiaurate		77-58-7	201-039-8	
log l	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4.44		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
	Pow erence temperature	OECD 107	4.44		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge into drains or waters and do not dispose of in public landfills

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers should be disposed of only after removing product residues adhering to container walls, by the reaction with a decontaminating solution (see item 7).

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant



Current version: 7.0.0, issued: 15.12.2023 Replaced version: 6.2.2, issued: 14.01.2022 Region: GB

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No			
1	2,2'-methylenediphenyl diisocyanate	2536-05-2	219-799-4	56, 74, 75,			
				77			
2	dibutyltin-dilaurate	77-58-7	201-039-8	20, 75			
3	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9	56, 74, 75,			
				77			
4	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0	56, 74, 75,			
				77			
5	diphenylmethanediisocyanate, isomeres and	9016-87-9	-	56, 74, 75,			
	homologues			77			
6	tosyl isocyanate	4083-64-1	223-810-8	75			

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH014 Reacts violently with water.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects

H360FD May damage fertility. May damage the unborn child.

H370 Causes damage to organs.

H372o Causes damage to organs through prolonged or repeated exposure if swallowed.
H373i May cause damage to organs through prolonged or repeated exposure if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.



Trade name: Binding agent for WIDOPERL

Current version: 7.0.0, issued: 15.12.2023 Reglaced version: 6.2.2, issued: 14.01.2022 Region: GB

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

C Some organic substances may be marketed either in a specific isomeric form or as a

mixture of several isomers. In this case the supplier must state on the label whether the

substance is a specific isomer or a mixture of isomers.

2 The concentration of isocyanate stated is the percentage by weight of the free monomer

calculated with reference to the total weight of the mixture.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 21790